axial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).
Three-Dimensional Constitutive Model for Partially and Fully Saturated Soils. — Konstantinos Georgiadis, David M. Potts, and Lidija Zdravkovic; 5(3), 244-55 (2005).

Contaminants
Multiple-Porosity Contaminant Transport by Finite-Element Method. — Abbas H. El-Zein, John P. Carter, and David W. Airey; 5(1), 24-34 (2005).

Coupling
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Crushing
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Cyclic tests
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).

Damage
Lateral Loading of a Rigid Rock Socket Embedded in a Damage-Susceptible Poroelastic Solid. — A. Shirazi and A. P. S. Selvadurai; 5(4), 276-85 (2005).

Dams, rockfill
Seepage through a Levee. — G. C. Mishra and A. K. Singh; 5(1), 74-9 (2005).

Desiccation
Modeling of Clay Liner Desiccation. — Yafei Zhou and R. Kerry Rowe; 5(1), 1-9 (2005).

Design
Reliability-Based Design for External Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 5(3), 196-205 (2005).

Dewatering
Modeling of Moisture Loss in Cementitiously Stabilized Pavement Materials. — Jayantha Kodikara and Srijib Chakrabarti; 5(4), 295-303 (2005).

Dikes
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).

Dilatancy
Dilatational and Compacting Behavior around a Cylindrical Cavern Leached Out in a Solid–Fluid Elastic Rock Salt. — Giulio Sciarra, Francesco dell'Isola, and Kolumban Hutter; 5(3), 233-43 (2005).

Drilled shafts
Moment/Rotation Effects on Laterally Loaded Drilled Shaft Group Response. — William N. Houston, Kenneth D. Walsh, Abdalla M. Harraz, and Sandra L. Houston; 5(4), 304-10 (2005).

Drilling
Drilling Fluid Considerations in Design of Engineered Horizontal Directional Drilling Installations. — Michael E. Baumert, Erez N. Allouche, and Ian D. Moore; 5(4), 339-49 (2005).

Earth pressure
Finite-Element Analysis of Inclined Piezocone Penetration Test in Clays. — Lei Wei, Murad Y. Abu-Farsakh, and Mehmet T. Tumay; 5(3), 167-78 (2005).

Elastic analysis
Dilatational and Compacting Behavior around a Cylindrical Cavern Leached Out in a Solid–Fluid Elastic Rock Salt. — Giulio Sciarra, Francesco dell'Isola, and Kolumban Hutter; 5(3), 233-43 (2005).

Elastoplasticity
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).

Electrical conductivity
Soft Sediments: Wave-based Characterization. — Katherine Klein and J. Carlos Santamarina; 5(2), 147-57 (2005).

Electrokinetics
Reinforced Soil Using Cohesive Fill and Electrokinetic Geosynthetics. — S. Glendinning, C. J. F. P. Jones, and R. C. Pugh; 5(2), 138-46 (2005).

Embankments
Effect of Anisotropy and Destructuration on the Behavior of Murro Test Embankment. — Minna Karstunen, Harald Krenn, Simon J. Wheeler, Mirva Koskinen, and Rachid Zentar; 5(2), 87-97 (2005).

Embedment
Collapse Loads for a Cylinder Embedded in Trench in Cohesive Soil. — C. P. Aubeny, H. Shi, and J. D. Murff; 5(4), 320-5 (2005).

Entropy
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Fabric
Soft Sediments: Wave-based Characterization. — Katherine Klein and J. Carlos Santamarina; 5(2), 147-57 (2005).

Failures
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).

Fills
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).
Reinforced Soil Using Cohesive Fill and Electrokinetic Geosynthetics. — S. Glendinning, C. J. F. P. Jones, and R. C. Pugh; 5(2), 138-46 (2005).

Filters
Seepage through a Levee. — G. C. Mishra and A. K. Singh; 5(1), 74-9 (2005).

Fine-grained soils
Modeling of Moisture Loss in Cementitiously Stabilized Pavement Materials. — Jayantha Kodikara and Srijib Chakrabarti; 5(4), 295-303 (2005).
Relationship between the Undrained Shear Strength, Water Content, and Mineralogical Properties of Fine-Grained Soils. — Ludvik Trauner, Bojana Dolinar, and Miha Mišič; 5(4), 350-5 (2005).

Finite element method
Numerical Modeling of Nonhomogeneous Behavior of Structured Soils during Triaxial Tests. — D. S. Liyanapathirana, J. P. Carter, and D. W. Airey; 5(1), 10-23 (2005).
Multiple-Porosity Contaminant Transport by Finite-Element Method. — Abbas H. El-Zein, John P. Carter, and David W. Airey; 5(1), 24-34 (2005).
Effect of Anisotropy and Destructuration on the Behavior of Murro Test Embankment. — Minna Karstunen, Harald Krenn, Simon J. Wheeler, Mirva Koskinen, and Rachid Zentar; 5(2), 87-97 (2005).
Loads on Braced Excavations in Soft Clay. — Kjell Karlsrud and Lars Andresen; 5(2), 107-13 (2005).
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).
Finite-Element Analysis of Inclined Piezocone Penetration Test in Clays. — Lei Wei, Murad Y. Abu-Farsakh, and Mehmet T. Tumay; 5(3), 167-78 (2005).
Moment/Rotation Effects on Laterally Loaded Drilled Shaft Group Response. — William N. Houston, Kenneth D. Walsh, Abdalla M. Harraz, and Sandra L. Houston; 5(4), 304-10 (2005).
Collapse Loads for a Cylinder Embedded in Trench in Cohesive Soil. — C. P. Aubeny, H. Shi, and J. D. Murff; 5(4), 320-5 (2005).
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Finite elements
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).
Influence of Mesh Geometry on Three-Dimensional Finite-Element Analysis of Tunnel Excavation. — J. N. Franzius and D. M. Potts; 5(3), 256-66 (2005).

Finland
Effect of Anisotropy and Destructuration on the Behavior of Murro Test Embankment. — Minna Karstunen, Harald Krenn, Simon J. Wheeler, Mirva Koskinen, and Rachid Zentar; 5(2), 87-97 (2005).

Fluid flow
Drilling Fluid Considerations in Design of Engineered Horizontal Directional Drilling Installations. — Michael E. Baumert, Erez N. Allouche, and Ian D. Moore; 5(4), 339-49 (2005).

Gas
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Geometry
Influence of Mesh Geometry on Three-Dimensional Finite-Element Analysis of Tunnel Excavation. — J. N. Franzius and D. M. Potts; 5(3), 256-66 (2005).

Geosynthetics
Reinforced Soil Using Cohesive Fill and Electrokinetic Geosynthetics. — S. Glendinning, C. J. F. P. Jones, and R. C. Pugh; 5(2), 138-46 (2005).
Reliability-Based Design for External Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 5(3), 196-205 (2005).

Hydraulic conductivity
Lateral Loading of a Rigid Rock Socket Embedded in a Damage-Susceptible Poroelastic Solid. — A. Shirazi and A. P. S. Selvadurai; 5(4), 276-85 (2005).

Japan
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).

Land reclamation
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).

Laplace transform
Multiple-Porosity Contaminant Transport by Finite-Element Method. — Abbas H. El-Zein, John P. Carter, and David W. Airey; 5(1), 24-34 (2005).

Lateral loads
Lateral Loading of a Rigid Rock Socket Embedded in a Damage-Susceptible Poroelastic Solid. — A. Shirazi and A. P. S. Selvadurai; 5(4), 276-85 (2005).
Moment/Rotation Effects on Laterally Loaded Drilled Shaft Group Response. — William N. Houston, Kenneth D. Walsh, Abdalla M. Harraz, and Sandra L. Houston; 5(4), 304-10 (2005).

Layered soils
Steady-State Solutions of Multilayered and Cross-Anisotropic Poroelastic Half-Space due to a Point Sink. — G. J. Chen; 5(1), 45-57 (2005).

Levees
Seepage through a Levee. — G. C. Mishra and A. K. Singh; 5(1), 74-9 (2005).

Liquefaction
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).

Loads
Loads on Braced Excavations in Soft Clay. — Kjell Karlsrud and Lars Andresen; 5(2), 107-13 (2005).

Marine plays
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).

Mesh generation
Influence of Mesh Geometry on Three-Dimensional Finite-Element Analysis of Tunnel Excavation. — J. N. Franzius and D. M. Potts; 5(3), 256-66 (2005).

Mineralogy
Relationship between the Undrained Shear Strength, Water Content, and Mineralogical Properties of Fine-Grained Soils. — Ludvik Trauner, Bojana Dolinar, and Miha Mišič; 5(4), 350-5 (2005).

Mixtures
Dilatational and Compacting Behavior around a Cylindrical Cavern Leached Out in a Solid–Fluid Elastic Rock Salt. — Giulio Sciarra, Francesco dell'Isola, and Kolumban Hutter; 5(3), 233-43 (2005).

Models
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).
Modeling of Moisture Loss in Cementitiously Stabilized Pavement Materials. — Jayantha Kodikara and Srijib Chakrabarti; 5(4), 295-303 (2005).
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Moisture
Modeling of Moisture Loss in Cementitiously Stabilized Pavement Materials. — Jayantha Kodikara and Srijib Chakrabarti; 5(4), 295-303 (2005).

Netherlands
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).

Numerical analysis
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).
Influence of Mesh Geometry on Three-Dimensional Finite-Element Analysis of Tunnel Excavation. — J. N. Franzius and D. M. Potts; 5(3), 256-66 (2005).

Numerical models
Modeling of Clay Liner Desiccation. — Yafei Zhou and R. Kerry Rowe; 5(1), 1-9 (2005).
Numerical Modeling of Nonhomogeneous Behavior of Structured Soils during Triaxial Tests. — D. S. Liyanapathirana, J. P. Carter, and D. W. Airey; 5(1), 10-23 (2005).
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).
Model for Large Strain Consolidation by Centrifuge. — Patrick J. Fox, Jangguen Lee, and Tong Qiu; 5(4), 267-75 (2005).

Offshore structures
Collapse Loads for a Cylinder Embedded in Trench in Cohesive Soil. — C. P. Aubeny, H. Shi, and J. D. Murff; 5(4), 320-5 (2005).

Oils
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Optimization
Influence of Optimized Tire Shreds on Shear Strength Parameters of Sand. — Mahmoud Ghazavi and Masoud Amel Sakhi; 5(1), 58-65 (2005).

Parameters
Effect of Rock Strength Criterion on the Predicted Onset of Sand Production. — X. Yi, P. P. Valkó, and J. E. Russell; 5(1), 66-73 (2005).
Genetic Algorithms for the Calibration of Constitutive Models for Soils. — Prasad Samarajiva, Emir Jose Macari, and Wije Wathugala; 5(3), 206-17 (2005).

Pavements
Modeling of Moisture Loss in Cementitiously Stabilized Pavement Materials. — Jayantha Kodikara and Srijib Chakrabarti; 5(4), 295-303 (2005).

Penetration tests
Finite-Element Analysis of Inclined Piezocone Penetration Test in Clays. — Lei Wei, Murad Y. Abu-Farsakh, and Mehmet T. Tumay; 5(3), 167-78 (2005).

Pile foundations
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).

Plane strain
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).

Plasticity
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).
Collapse Loads for a Cylinder Embedded in Trench in Cohesive Soil. — C. P. Aubeny, H. Shi, and J. D. Murff; 5(4), 320-5 (2005).

Pore water pressure
Estimation of Degree of Consolidation for Vacuum Preloading Projects. — J. Chu and S. W. Yan; 5(2), 158-65 (2005).

Poroelasticity
Steady-State Solutions of Multilayered and Cross-Anisotropic Poroelastic Half-Space due to a Point Sink. — G. J. Chen; 5(1), 45-57 (2005).
Lateral Loading of a Rigid Rock Socket Embedded in a Damage-Susceptible Poroelastic Solid. — A. Shirazi and A. P. S. Selvadurai; 5(4), 276-85 (2005).

Porosity
Multiple-Porosity Contaminant Transport by Finite-Element Method. — Abbas H. El-Zein, John P. Carter, and David W. Airey; 5(1), 24-34 (2005).

Porous media
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Preloading
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).
Estimation of Degree of Consolidation for Vacuum Preloading Projects. — J. Chu and S. W. Yan; 5(2), 158-65 (2005).

Pressures
Dilatational and Compacting Behavior around a Cylindrical Cavern Leached Out in a Solid–Fluid Elastic Rock Salt. — Giulio Sciarra, Francesco dell'Isola, and Kolumban Hutter; 5(3), 233-43 (2005).

Prestressing
Dilatational and Compacting Behavior around a Cylindrical Cavern Leached Out in a Solid–Fluid Elastic Rock Salt. — Giulio Sciarra, Francesco dell'Isola, and Kolumban Hutter; 5(3), 233-43 (2005).

Recycling
Influence of Optimized Tire Shreds on Shear Strength Parameters of Sand. — Mahmoud Ghazavi and Masoud Amel Sakhi; 5(1), 58-65 (2005).

Reliability
Reliability-Based Design for External Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 5(3), 196-205 (2005).

Rheology
Drilling Fluid Considerations in Design of Engineered Horizontal Directional Drilling Installations. — Michael E. Baumert, Erez N. Allouche, and Ian D. Moore; 5(4), 339-49 (2005).

Rock masses
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).

Rocks
Effect of Rock Strength Criterion on the Predicted Onset of Sand Production. — X. Yi, P. P. Valkó, and J. E. Russell; 5(1), 66-73 (2005).
Lateral Loading of a Rigid Rock Socket Embedded in a Damage-Susceptible Poroelastic Solid. — A. Shirazi and A. P. S. Selvadurai; 5(4), 276-85 (2005).

Rotation
Moment/Rotation Effects on Laterally Loaded Drilled Shaft Group Response. — William N. Houston, Kenneth D. Walsh, Abdalla M. Harraz, and Sandra L. Houston; 5(4), 304-10 (2005).

Salt domes
Dilatational and Compacting Behavior around a Cylindrical Cavern Leached Out in a Solid–Fluid Elastic Rock Salt. — Giulio Sciarra, Francesco dell'Isola, and Kolumban Hutter; 5(3), 233-43 (2005).

Sand
Effect of Rock Strength Criterion on the Predicted Onset of Sand Production. — X. Yi, P. P. Valkó, and J. E. Russell; 5(1), 66-73 (2005).
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).

Saturated soils
Three-Dimensional Constitutive Model for Partially and Fully Saturated Soils. — Konstantinos Georgiadis, David M. Potts, and Lidija Zdravkovic; 5(3), 244-55 (2005).

Sediment
Soft Sediments: Wave-based Characterization. — Katherine Klein and J. Carlos Santamarina; 5(2), 147-57 (2005).

Sedimentation
Soft Sediments: Wave-based Characterization. — Katherine Klein and J. Carlos Santamarina; 5(2), 147-57 (2005).

Seepage
Seepage through a Levee. — G. C. Mishra and A. K. Singh; 5(1), 74-9 (2005).

Seismic analysis
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).

Seismic response
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).

Settlement
Model for Large Strain Consolidation by Centrifuge. — Patrick J. Fox, Jangguen Lee, and Tong Qiu; 5(4), 267-75 (2005).

Shear strength
Influence of Optimized Tire Shreds on Shear Strength Parameters of Sand. — Mahmoud Ghazavi and Masoud Amel Sakhi; 5(1), 58-65 (2005).
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).
Relationship between the Undrained Shear Strength, Water Content, and Mineralogical Properties of Fine-Grained Soils. — Ludvik Trauner, Bojana Dolinar, and Miha Mišič; 5(4), 350-5 (2005).

Shear tests
Influence of Optimized Tire Shreds on Shear Strength Parameters of Sand. — Mahmoud Ghazavi and Masoud Amel Sakhi; 5(1), 58-65 (2005).
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).

Shear waves
Soft Sediments: Wave-based Characterization. — Katherine Klein and J. Carlos Santamarina; 5(2), 147-57 (2005).

Shredding
Influence of Optimized Tire Shreds on Shear Strength Parameters of Sand. — Mahmoud Ghazavi and Masoud Amel Sakhi; 5(1), 58-65 (2005).

Simulation
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).
Reliability-Based Design for External Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 5(3), 196-205 (2005).

Skin friction
Drilling Fluid Considerations in Design of Engineered Horizontal Directional Drilling Installations. — Michael E. Baumert, Erez N. Allouche, and Ian D. Moore; 5(4), 339-49 (2005).

Slope stability
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).

Slurries
Soft Sediments: Wave-based Characterization. — Katherine Klein and J. Carlos Santamarina; 5(2), 147-57 (2005).

Soft soils
Loads on Braced Excavations in Soft Clay. — Kjell Karlsrud and Lars Andresen; 5(2), 107-13 (2005).

Soil compression
Three-Dimensional Constitutive Model for Partially and Fully Saturated Soils. — Konstantinos Georgiadis, David M. Potts, and Lidija Zdravkovic; 5(3), 244-55 (2005).

Soil consolidation
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).
Estimation of Degree of Consolidation for Vacuum Preloading Projects. — J. Chu and S. W. Yan; 5(2), 158-65 (2005).

Soil deformation
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Soil improvement
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).
Estimation of Degree of Consolidation for Vacuum Preloading Projects. — J. Chu and S. W. Yan; 5(2), 158-65 (2005).

Soil mechanics
Collapse Loads for a Cylinder Embedded in Trench in Cohesive Soil. — C. P. Aubeny, H. Shi, and J. D. Murff; 5(4), 320-5 (2005).

Soil stabilization
Reinforced Soil Using Cohesive Fill and Electrokinetic Geosynthetics. — S. Glendinning, C. J. F. P. Jones, and R. C. Pugh; 5(2), 138-46 (2005).

Soil structures
Reliability-Based Design for External Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 5(3), 196-205 (2005).

Soil swelling
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).

Soil tests
Genetic Algorithms for the Calibration of Constitutive Models for Soils. — Prasad Samarajiva, Emir Jose Macari, and Wije Wathugala; 5(3), 206-17 (2005).

Soil-structure interaction
Influence of Mesh Geometry on Three-Dimensional Finite-Element Analysis of Tunnel Excavation. — J. N. Franzius and D. M. Potts; 5(3), 256-66 (2005).
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).

Soils
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Spacing
Moment/Rotation Effects on Laterally Loaded Drilled Shaft Group Response. — William N. Houston, Kenneth D. Walsh, Abdalla M. Harraz, and Sandra L. Houston; 5(4), 304-10 (2005).

Steady flow
Steady-State Solutions of Multilayered and Cross-Anisotropic Poroelastic Half-Space due to a Point Sink. — G. J. Chen; 5(1), 45-57 (2005).

Strain rate
Numerical Modeling of Nonhomogeneous Behavior of Structured Soils during Triaxial Tests. — D. S. Liyanapathirana, J. P. Carter, and D. W. Airey; 5(1), 10-23 (2005).

Stress distribution
Numerical Modeling of Nonhomogeneous Behavior of Structured Soils during Triaxial Tests. — D. S. Liyanapathirana, J. P. Carter, and D. W. Airey; 5(1), 10-23 (2005).

Stress strain relations
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).

Temperature
Modeling of Clay Liner Desiccation. — Yafei Zhou and R. Kerry Rowe; 5(1), 1-9 (2005).

Tensile loads
Drilling Fluid Considerations in Design of Engineered Horizontal Directional Drilling Installations. — Michael E. Baumert, Erez N. Allouche, and Ian D. Moore; 5(4), 339-49 (2005).

Three-dimensional analysis
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).
Influence of Mesh Geometry on Three-Dimensional Finite-Element Analysis of Tunnel Excavation. — J. N. Franzius and D. M. Potts; 5(3), 256-66 (2005).

Three-dimensional models
Three-Dimensional Constitutive Model for Partially and Fully Saturated Soils. — Konstantinos Georgiadis, David M. Potts, and Lidija Zdravkovic; 5(3), 244-55 (2005).

Time-dependence
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).

Tires
Influence of Optimized Tire Shreds on Shear Strength Parameters of Sand. — Mahmoud Ghazavi and Masoud Amel Sakhi; 5(1), 58-65 (2005).

Transport phenomena
Multiple-Porosity Contaminant Transport by Finite-Element Method. — Abbas H. El-Zein, John P. Carter, and David W. Airey; 5(1), 24-34 (2005).

Triaxial shear
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).

Triaxial tests
Numerical Modeling of Nonhomogeneous Behavior of Structured Soils during Triaxial Tests. — D. S. Liyanapathirana, J. P. Carter, and D. W. Airey; 5(1), 10-23 (2005).
Effect of Rock Strength Criterion on the Predicted Onset of Sand Production. — X. Yi, P. P. Valkó, and J. E. Russell; 5(1), 66-73 (2005).

Tunneling
Influence of Mesh Geometry on Three-Dimensional Finite-Element Analysis of Tunnel Excavation. — J. N. Franzius and D. M. Potts; 5(3), 256-66 (2005).

Unsaturated flow
Modeling of Clay Liner Desiccation. — Yafei Zhou and R. Kerry Rowe; 5(1), 1-9 (2005).

Uplift
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).

Validation
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).

Vertical drains
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).

Viscosity
Soft Sediments: Wave-based Characterization. — Katherine Klein and J. Carlos Santamarina; 5(2), 147-57 (2005).

Walls
Reliability-Based Design for External Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 5(3), 196-205 (2005).

Water content
Relationship between the Undrained Shear Strength, Water Content, and Mineralogical Properties of Fine-Grained Soils. — Ludvik Trauner, Bojana Dolinar, and Miha Mišič; 5(4), 350-5 (2005).

Water loss
Modeling of Moisture Loss in Cementitiously Stabilized Pavement Materials. — Jayantha Kodikara and Srijib Chakrabarti; 5(4), 295-303 (2005).

Water pressure
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).

Author Index

Abousleiman, Younane
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Abu-Farsakh, Murad Y.
Finite-Element Analysis of Inclined Piezocone Penetration Test in Clays. — Lei Wei, Murad Y. Abu-Farsakh, and Mehmet T. Tumay; 5(3), 167-78 (2005).

Airey, D. W.
Numerical Modeling of Nonhomogeneous Behavior of Structured Soils during Triaxial Tests. — D. S. Liyanapathirana, J. P. Carter, and D. W. Airey; 5(1), 10-23 (2005).

Airey, David W.
Multiple-Porosity Contaminant Transport by Finite-Element Method. — Abbas H. El-Zein, John P. Carter, and David W. Airey; 5(1), 24-34 (2005).

Allouche, Erez N.
Drilling Fluid Considerations in Design of Engineered Horizontal Directional Drilling Installations. — Michael E. Baumert, Erez N. Allouche, and Ian D. Moore; 5(4), 339-49 (2005).

Andresen, Lars
Loads on Braced Excavations in Soft Clay. — Kjell Karlsrud and Lars Andresen; 5(2), 107-13 (2005).

Aubeny, C. P.
Collapse Loads for a Cylinder Embedded in Trench in Cohesive Soil. — C. P. Aubeny, H. Shi, and J. D. Murff; 5(4), 320-5 (2005).

Balasubramaniam, A. S.
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).

Barends, F. B. J.
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).

Baumert, Michael E.
Drilling Fluid Considerations in Design of Engineered Horizontal Directional Drilling Installations. — Michael E. Baumert, Erez N. Allouche, and Ian D. Moore; 5(4), 339-49 (2005).

Benson, Craig H.
Reliability-Based Design for External Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 5(3), 196-205 (2005).

Carter, J. P.
Numerical Modeling of Nonhomogeneous Behavior of Structured Soils during Triaxial Tests. — D. S. Liyanapathirana, J. P. Carter, and D. W. Airey; 5(1), 10-23 (2005).

Carter, John P.
Multiple-Porosity Contaminant Transport by Finite-Element Method. — Abbas H. El-Zein, John P. Carter, and David W. Airey; 5(1), 24-34 (2005).

Chakrabarti, Srijib
Modeling of Moisture Loss in Cementitiously Stabilized Pavement Materials. — Jayantha Kodikara and Srijib Chakrabarti; 5(4), 295-303 (2005).

Chalermyanont, Tanit
Reliability-Based Design for External Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 5(3), 196-205 (2005).

Chen, G. J.
Steady-State Solutions of Multilayered and Cross-Anisotropic Poroelastic Half-Space due to a Point Sink. — G. J. Chen; 5(1), 45-57 (2005).

Cheng, Chun-Man
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).

Chu, J.
Estimation of Degree of Consolidation for Vacuum Preloading Projects. — J. Chu and S. W. Yan; 5(2), 158-65 (2005).

Cohen, David
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).

Dasari, G. R.
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).

dell'Isola, Francesco
Dilatational and Compacting Behavior around a Cylindrical Cavern Leached Out in a Solid–Fluid Elastic Rock Salt. — Giulio Sciarra, Francesco dell'Isola, and Kolumban Hutter; 5(3), 233-43 (2005).

Desai, Chandra S.
Constitutive Modeling for Geologic Materials: Significance and Directions. — Chandra S. Desai; 5(2), 81-4 (2005).
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).

Dolinar, Bojana
Relationship between the Undrained Shear Strength, Water Content, and Mineralogical Properties of Fine-Grained Soils. — Ludvik Trauner, Bojana Dolinar, and Miha Mišič; 5(4), 350-5 (T) (2005).

El Naggar, M. H.
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).

El-Zein, Abbas H.
Multiple-Porosity Contaminant Transport by Finite-Element Method. — Abbas H. El-Zein, John P. Carter, and David W. Airey; 5(1), 24-34 (2005).

Fityus, S.
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Fox, Patrick J.
Model for Large Strain Consolidation by Centrifuge. — Patrick J. Fox, Jangguen Lee, and Tong Qiu; 5(4), 267-75 (2005).

Franzius, J. N.
Influence of Mesh Geometry on Three-Dimensional Finite-Element Analysis of Tunnel Excavation. — J. N. Franzius and D. M. Potts; 5(3), 256-66 (2005).

Gálos, M.
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Georgiadis, Konstantinos
Three-Dimensional Constitutive Model for Partially and Fully Saturated Soils. — Konstantinos Georgiadis, David M. Potts, and Lidija Zdravkovic; 5(3), 244-55 (2005).

Ghazavi, Mahmoud
Influence of Optimized Tire Shreds on Shear Strength Parameters of Sand. — Mahmoud Ghazavi and Masoud Amel Sakhi; 5(1), 58-65 (2005).

Glendinning, S.
Reinforced Soil Using Cohesive Fill and Electrokinetic Geosynthetics. — S. Glendinning, C. J. F. P. Jones, and R. C. Pugh; 5(2), 138-46 (2005).

Gould, P. L.
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).

Harraz, Abdalla M.
Moment/Rotation Effects on Laterally Loaded Drilled Shaft Group Response. — William N. Houston, Kenneth D. Walsh, Abdalla M. Harraz, and Sandra L. Houston; 5(4), 304-10 (2005).

Houston, Sandra L.
Moment/Rotation Effects on Laterally Loaded Drilled Shaft Group Response. — William N. Houston, Kenneth D. Walsh, Abdalla M. Harraz, and Sandra L. Houston; 5(4), 304-10 (2005).

Houston, William N.
Moment/Rotation Effects on Laterally Loaded Drilled Shaft Group Response. — William N. Houston, Kenneth D. Walsh, Abdalla M. Harraz, and Sandra L. Houston; 5(4), 304-10 (2005).

Hutter, Kolumban
Dilatational and Compacting Behavior around a Cylindrical Cavern Leached Out in a Solid–Fluid Elastic Rock Salt. — Giulio Sciarra, Francesco dell'Isola, and Kolumban Hutter; 5(3), 233-43 (2005).

Imre, E.
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Indraratna, B.
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).

Indraratna, Buddhima
Addressing the Geotechnical Challenges Posed by Soft Clays. — Buddhima Indraratna; 5(2), 85-6 (2005).

Jones, C. J. F. P.
Reinforced Soil Using Cohesive Fill and Electrokinetic Geosynthetics. — S. Glendinning, C. J. F. P. Jones, and R. C. Pugh; 5(2), 138-46 (2005).

Karlsrud, Kjell
Loads on Braced Excavations in Soft Clay. — Kjell Karlsrud and Lars Andresen; 5(2), 107-13 (2005).

Karstunen, Minna
Effect of Anisotropy and Destructuration on the Behavior of Murro Test Embankment. — Minna Karstunen, Harald Krenn, Simon J. Wheeler, Mirva Koskinen, and Rachid Zentar; 5(2), 87-97 (2005).

Klein, Katherine
Soft Sediments: Wave-based Characterization. — Katherine Klein and J. Carlos Santamarina; 5(2), 147-57 (2005).

Kodikara, Jayantha
Modeling of Moisture Loss in Cementitiously Stabilized Pavement Materials. — Jayantha Kodikara and Srijib Chakrabarti; 5(4), 295-303 (2005).

Koelewijn, A. R.
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).

Koskinen, Mirva
Effect of Anisotropy and Destructuration on the Behavior of Murro Test Embankment. — Minna Karstunen, Harald Krenn, Simon J. Wheeler, Mirva Koskinen, and Rachid Zentar; 5(2), 87-97 (2005).

Krenn, Harald
Effect of Anisotropy and Destructuration on the Behavior of Murro Test Embankment. — Minna Karstunen, Harald Krenn, Simon J. Wheeler, Mirva Koskinen, and Rachid Zentar; 5(2), 87-97 (2005).

Lee, Jangguen
Model for Large Strain Consolidation by Centrifuge. — Patrick J. Fox, Jangguen Lee, and Tong Qiu; 5(4), 267-75 (2005).

Leung, C. F.
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).

Liyanapathirana, D. S.
Numerical Modeling of Nonhomogeneous Behavior of Structured Soils during Triaxial Tests. — D. S. Liyanapathirana, J. P. Carter, and D. W. Airey; 5(1), 10-23 (2005).

Lőrincz, J.
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Macari, Emir Jose
Genetic Algorithms for the Calibration of Constitutive Models for Soils. — Prasad Samarajiva, Emir Jose Macari, and Wije Wathugala; 5(3), 206-17 (2005).

Maheshwari, B. K.
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).

Mishra, G. C.
Seepage through a Levee. — G. C. Mishra and A. K. Singh; 5(1), 74-9 (T) (2005).

Mišič, Miha
Relationship between the Undrained Shear Strength, Water Content, and Mineralogical Properties of Fine-Grained Soils. — Ludvik Trauner, Bojana Dolinar, and Miha Mišič; 5(4), 350-5 (T) (2005).

Moore, Ian D.
Drilling Fluid Considerations in Design of Engineered Horizontal Directional Drilling Installations. — Michael E. Baumert, Erez N. Allouche, and Ian D. Moore; 5(4), 339-49 (2005).

Murff, J. D.
Collapse Loads for a Cylinder Embedded in Trench in Cohesive Soil. — C. P. Aubeny, H. Shi, and J. D. Murff; 5(4), 320-5 (2005).

Nair, Rajesh
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Nishiyama, Satoshi
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).

Ohnishi, Yuzo
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).

Potts, D. M.
Influence of Mesh Geometry on Three-Dimensional Finite-Element Analysis of Tunnel Excavation. — J. N. Franzius and D. M. Potts; 5(3), 256-66 (2005).

Potts, David M.
Three-Dimensional Constitutive Model for Partially and Fully Saturated Soils. — Konstantinos Georgiadis, David M. Potts, and Lidija Zdravkovic; 5(3), 244-55 (2005).

Pradhan, Shashank K.
Cyclic Testing and Constitutive Modeling of Saturated Sand–Concrete Interfaces Using the Disturbed State Concept. — Chandra S. Desai, Shashank K. Pradhan, and David Cohen; 5(4), 286-94 (2005).

Pugh, R. C.
Reinforced Soil Using Cohesive Fill and Electrokinetic Geosynthetics. — S. Glendinning, C. J. F. P. Jones, and R. C. Pugh; 5(2), 138-46 (2005).

Qiu, Tong
Model for Large Strain Consolidation by Centrifuge. — Patrick J. Fox, Jangguen Lee, and Tong Qiu; 5(4), 267-75 (2005).

Rajkai, K.
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Robinson, R. G.
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).

Rowe, R. Kerry
Modeling of Clay Liner Desiccation. — Yafei Zhou and R. Kerry Rowe; 5(1), 1-9 (2005).

Rujikiatkamjorn, C.
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).

Russell, J. E.
Effect of Rock Strength Criterion on the Predicted Onset of Sand Production. — X. Yi, P. P. Valkó, and J. E. Russell; 5(1), 66-73 (2005).

Sakhi, Masoud Amel
Influence of Optimized Tire Shreds on Shear Strength Parameters of Sand. — Mahmoud Ghazavi and Masoud Amel Sakhi; 5(1), 58-65 (2005).

Samarajiva, Prasad
Genetic Algorithms for the Calibration of Constitutive Models for Soils. — Prasad Samarajiva, Emir Jose Macari, and Wije Wathugala; 5(3), 206-17 (2005).

Santamarina, J. Carlos
Soft Sediments: Wave-based Characterization. — Katherine Klein and J. Carlos Santamarina; 5(2), 147-57 (2005).

Sathananthan, I.
Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. — B. Indraratna, I. Sathananthan, C. Rujikiatkamjorn, and A. S. Balasubramaniam; 5(2), 114-24 (2005).

Sciarra, Giulio
Dilatational and Compacting Behavior around a Cylindrical Cavern Leached Out in a Solid–Fluid Elastic Rock Salt. — Giulio Sciarra, Francesco dell'Isola, and Kolumban Hutter; 5(3), 233-43 (2005).

Selvadurai, A. P. S.
Lateral Loading of a Rigid Rock Socket Embedded in a Damage-Susceptible Poroelastic Solid. — A. Shirazi and A. P. S. Selvadurai; 5(4), 276-85 (2005).

Shi, Gen-Hua
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).

Shi, H.
Collapse Loads for a Cylinder Embedded in Trench in Cohesive Soil. — C. P. Aubeny, H. Shi, and J. D. Murff; 5(4), 320-5 (2005).

Shirazi, A.
Lateral Loading of a Rigid Rock Socket Embedded in a Damage-Susceptible Poroelastic Solid. — A. Shirazi and A. P. S. Selvadurai; 5(4), 276-85 (2005).

Singh, A. K.
Seepage through a Levee. — G. C. Mishra and A. K. Singh; 5(1), 74-9 (T) (2005).

Tan, T. S.
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).

Telekes, G.
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Trang, Q. P.
Grading Entropy Variation Due to Soil Crushing. — J. Lőrincz, E. Imre, M. Gálos, Q. P. Trang, K. Rajkai, S. Fityus, and G. Telekes; 5(4), 311-9 (2005).

Trauner, Ludvik
Relationship between the Undrained Shear Strength, Water Content, and Mineralogical Properties of Fine-Grained Soils. — Ludvik Trauner, Bojana Dolinar, and Miha Mišič; 5(4), 350-5 (T) (2005).

Truman, K. Z.
Three-Dimensional Nonlinear Seismic Analysis of Single Piles Using Finite Element Model: Effects of Plasticity of Soil. — B. K. Maheshwari, K. Z. Truman, P. L. Gould, and M. H. El Naggar; 5(1), 35-44 (2005).

Tumay, Mehmet T.
Finite-Element Analysis of Inclined Piezocone Penetration Test in Clays. — Lei Wei, Murad Y. Abu-Farsakh, and Mehmet T. Tumay; 5(3), 167-78 (2005).

Valkó, P. P.
Effect of Rock Strength Criterion on the Predicted Onset of Sand Production. — X. Yi, P. P. Valkó, and J. E. Russell; 5(1), 66-73 (2005).

Van, M. A.
Uplift Phenomenon: Model, Validation, and Design. — M. A. Van, A. R. Koelewijn, and F. B. J. Barends; 5(2), 98-106 (2005).

Vijayakumar, A.
Experimental Study of the Behavior of a Lumpy Fill of Soft Clay. — R. G. Robinson, T. S. Tan, G. R. Dasari, C. F. Leung, and A. Vijayakumar; 5(2), 125-37 (2005).

Walsh, Kenneth D.
Moment/Rotation Effects on Laterally Loaded Drilled Shaft Group Response. — William N. Houston, Kenneth D. Walsh, Abdalla M. Harraz, and Sandra L. Houston; 5(4), 304-10 (2005).

Wathugala, Wije
Genetic Algorithms for the Calibration of Constitutive Models for Soils. — Prasad Samarajiva, Emir Jose Macari, and Wije Wathugala; 5(3), 206-17 (2005).

Wei, Lei
Finite-Element Analysis of Inclined Piezocone Penetration Test in Clays. — Lei Wei, Murad Y. Abu-Farsakh, and Mehmet T. Tumay; 5(3), 167-78 (2005).

Wheeler, Simon J.
Effect of Anisotropy and Destructuration on the Behavior of Murro Test Embankment. — Minna Karstunen, Harald Krenn, Simon J. Wheeler, Mirva Koskinen, and Rachid Zentar; 5(2), 87-97 (2005).

Wu, Jian-Hong
Theory of Three-Dimensional Discontinuous Deformation Analysis and Its Application to a Slope Toppling at Amatoribashi, Japan. — Jian-Hong Wu, Yuzo Ohnishi, Gen-Hua Shi, and Satoshi Nishiyama; 5(3), 179-95 (2005).

Yan, S. W.
Estimation of Degree of Consolidation for Vacuum Preloading Projects. — J. Chu and S. W. Yan; 5(2), 158-65 (2005).

Yi, X.
Effect of Rock Strength Criterion on the Predicted Onset of Sand Production. — X. Yi, P. P. Valkó, and J. E. Russell; 5(1), 66-73 (2005).

Yin, Jian-Hua
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).

Zaman, Musharraf
Modeling Fully Coupled Oil–Gas Flow in a Dual-Porosity Medium. — Rajesh Nair, Younane Abousleiman, and Musharraf Zaman; 5(4), 326-38 (2005).

Zdravkovic, Lidija
Three-Dimensional Constitutive Model for Partially and Fully Saturated Soils. — Konstantinos Georgiadis, David M. Potts, and Lidija Zdravkovic; 5(3), 244-55 (2005).

Zentar, Rachid
Effect of Anisotropy and Destructuration on the Behavior of Murro Test Embankment. — Minna Karstunen, Harald Krenn, Simon J. Wheeler, Mirva Koskinen, and Rachid Zentar; 5(2), 87-97 (2005).

Zhou, Cheng
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).

Zhou, Yafei
Modeling of Clay Liner Desiccation. — Yafei Zhou and R. Kerry Rowe; 5(1), 1-9 (2005).

Zhu, Jun-Gao
Elastic Anisotropic Viscoplastic Modeling of the Strain-Rate-Dependent Stress–Strain Behavior of K_0-Consolidated Natural Marine Clays in Triaxial Shear Tests. — Cheng Zhou, Jian-Hua Yin, Jun-Gao Zhu, and Chun-Man Cheng; 5(3), 218-32 (2005).